·	Application No.	Applicant(s)
Notice of Allowability	09/778,993	NIMURA ET AL.
	Examiner	Art Unit
	Thierry L. Pham	2625
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>2/1/07</u> .		
2. X The allowed claim(s) is/are 1, 3-6, 8-10, 14, 16-19, 21-23, a	and 40-45 are allowed; renumbered	as claims 1-22 (respectively).
 3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date	(3)	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	ffice action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawin he header according to 37 CFR 1.121(c	igs in the front (not the back) of i).
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.
	. ·	
Attachment(s) 1. □ Notice of References Cited (PTO-892)	E Making of Informal D	atant Anniination
2. ☐ Notice of Preferences Cited (PTO-992) Provided in Provided (PTO-992) Provided in Provided (PTO-992)	5. ☐ Notice of Informal Page 16. ☐ Interview Summary	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Dat 7. Examiner's Amendo	ė
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material Of Biological Material	8. Examiner's Stateme 9. Other GABRIEL GARCIA	nt of Reasons for Allowance
	PRIMARY EXAMINER	

DETAILED ACTION

• This action is responsive to the following communication: an Amendment filed on 2/1/07.

- Claims 2, 7, 11-13, 15, 20, 24-39 have been canceled.
- Claims 1, 3-6, 8-10, 14, 16-19, 21-23, 40-45 are allowed; renumbered as claims 1-22.

Response to Arguments

Applicant's arguments, see pages 8-9, filed 2/1/07, with respect to independent claims 1, 6, 14, and 19 have been fully considered and are persuasive. The prior art rejection under 103(a) of claims 1, 6, 14, and 19 has been withdrawn.

Allowable Subject Matter

- Claims 1, 3-6, 8-10, 14, 16-19, 21-23, and 40-45 are allowed; renumbered as claims 1-22 (respectively).
- The following is an examiner's statement of reasons for allowance: The combined cited prior arts (US 5159546 to Inoue et al; US 4602776 to York et al; US 5207412 to Coons et al) of record teach an image forming apparatus including inputting means, image forming means, stacking means, inserter means, and designating means, but fail to teach and/or suggest a stacking means for stacking plurality of bundles of insert sheets, wherein each bundle has insert sheets corresponding to n pages, which are to be inserted between the sheets having images formed thereon by said image forming apparatus, in a predetermined order of pages in which the insert sheets corresponding to the n pages are to be inserted, and wherein the insert sheets corresponding to the n pages in each bundle are inserted in a single bundle of one copy set including the sheets having the images formed thereon by said image forming means and in combinations of other features in the claims" as cited in independent claims 1, 6, 14, and 19 (renumbered as claims 1, 5, 9, 13 respectively). The examiner found neither prior art cited in its entirety, nor based on the prior art, nor found any motivation to combine any of prior arts that teaches the above

Application/Control Number: 09/778,993

Page 3

Art Unit: 2625

limitations and in combinations of other features as cited in claims 1, 6, 14, and 19 (renumbered as claims 1, 5, 9, 13 respectively).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thierry L. Pham whose telephone number is (571) 272-7439. The examiner can normally be reached on M-F (9:30 AM - 6:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on (571)272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thierry L. Phorn

GABRIEL CARCIA PRIMARY EXAMINER